1980 ANNUAL INDEX

Textile Research Journal

Volume 50

AUTHOR AND TITLE INDEX, pp. 755–760 **SUBJECT INDEX, pp. 761–766**

MONTH	PAGES	MONTH	PAGES
January	1–60	July	395–456
February	61–138	August	457–518
March	139–208	September	519–580
April	209–270	October	581–642
May	271–332	November	643–704
June	333–394	December	705–766

AUTHOR AND TITLE INDEX

Abdel-Fattah, S. H. Simultaneous Dye and Finish Fixation on a Radiation-Induced N-Methylol-acrylamide-Treated Wool/Viscose Blend (*Nasr, El-Kharadly*) 249

Andrews, B. A. Kottes Formaldehyde Release—Are Current Test Methods Realistic? (*Harper*) . . 177

Variables that Influence Formaldehyde Release from Cotton Finished for Durable Press (*Harper, Vail*) 315

Arons, Gilbert N. Novel Porous Sheets Made Directly from Acrylonitrile or Polyvinyl Alcohol 224

Arthur, Jett C., Jr. Wrinkle-Resistant Cotton by Photo-Initiated Reaction with N-Methylolacryl-amide Followed by Crosslinking Reactions (*Reinhardt*) 261

Asquith, R. S. An Assessment of Some Thermodynamic Treatments of Wool Dyeing Systems (*Kwok, Otterburn*) 333

Audivert, R. Filament Feeding in Spinning of Staple-Fiber Yarns Covered with Continuous Filament (*de Castellar*) 754

Backer, Stanley On the Mechanisms of Tearing in Woven Fabrics (*Hamkins*) 323

Badawy, Y. K. Production of Polyethylene Fibers and Their Optical Properties and Radial Differences in Orientation (*Hamza, Fouda, El-Farhaty*) . . 592

Baird, Donald G. Improved Sheath/Core Adhesion in Biconstituent Fibers via Interface Mixing (*Southern, Martin*) 411

Baitinger, William F. Furniture Flammability: Fabric Opportunities (*Haynes*) 201

Bajaj, P. Studies on Acrylonitrile-Hydroxyalkyl-Meth-acrylate Copolymer Fibers (*Sengupta, Jain*) . . 218

New Methods of Texturing Polyester/Viscose Blended Yarns by Simultaneous Setting of the Components (*Sengupta, Sen*) 275

Texturing of Polyester-Viscose Blended Yarn by Batch and Continuous Processes (*Sengupta, Sen*) 610

Barella, A. A Contribution to the Study of the Contraction of Rotor Yarns (*Vigo, Manich*) 279

Barker, Gary L. Closed-Boll Cotton. Part II: Restoration of the Never-Dried State by Treatment with Propylene Oxide (*Rousselle, Nelson, Colwick*) 103

Part I: Properties of Never-Dried Cotton Fibers Before and After Aqueous Formaldehyde Treatment (*Nelson, Rousselle, Ramey*) 491

Bateup, B. O. Wool/Polymer Interactions. Part I: The Relationship Between Polymer Properties and their Shrink-Resist Effectiveness (*Lorenz, Souren*) 682

Part II: Measurement of Adhesion Between Single Wool Fibers and a Polyurethane Elastomer (*Souren*) 740

Batra, S. K. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part III: Carding and Dust Levels (*Johnson, Hersh, Myers*) . . . 73

Humidifiers as a Source of Respirable Dust in Textile Mills (*Fornes, Hersh*) 454

The Effect of Cotton Grade, Variety, and Growing Location on the Dust Generated in a Model Card Room (*Hersh, Hobby, Fornes*) 531

Battigelli, Mario C. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part VI: Histamine Analysis of Cotton Material 90

Baumann, H. Studies on Some Wool Components: Skin Flakes, Cuticle, and Cell Membrane Material (*Kulkarni*) 6

Benisek, L. Machine-Washable, Water- and Oil-Repellent, Flame-Retardant Wool (*Craven*) . . 705

Bertoniere, Noelie R. Polymerization-Crosslinking of N-Methylolmethacrylamide in Cotton Fabric (*Shih, Rowland*) 433

Bickel, Wilford O. The Effect of Reversing the Amide Chromaphore on Some Dye Properties of the Naphthol AS Series (*Hall, Murray, Hoesterey*) . 692

Blanchard, Eugene J. Cotton Dyeing in Glycol Solvents 147

Bollinger, Julie R. Filtered and Nonfiltered Cigarette Ignition of Cotton Upholstery Fabrics (*Olsen*) . 310

Boussias, C. A Simple and Fast Detection Method of Hercosett 57 in Dilute Solutions (*Touloupis, Hadjichristidis*) 209

Brown, R. S. No-Twist Cotton Yarn Made from Card Web (*Salaun, Louis*) 115

Bryant, George M. Fiber Lubricant Properties and Dynamic Mechanical Properties of Polyoxy-alkylene Fluids (*Koenig*) 1

Cagliostro, D. E. Carbon Fiber Production at Low Temperatures from Polyacrylonitrile 632

Chand, N. Effect of Orientation on Dielectric Properties of Fibers (*Gupta, Mansingh*) 328

Cheung, P. S. R. Implications of Disaccharides in Sticky-Cotton Processing: Honeydew Contamination (*Roberts, Perkins*) 55
Chewning, Charles H., Jr. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part IV: Spinning and Yarn Properties 79
Colwick, Rex. F. Closed-Boll Cotton. Part II: Restoration of the Never-Dried State by Treatment with Propylene Oxide (*Rousselle, Nelson, Barker*) 103
Connell, J. P. The Prediction of the Yield of Greasy Wool by Near-Infrared Reflectance Spectroscopy. Part I: Principles and Washed Wool (*Norris*) . 371
Cook, J. R. Some Factors Affecting the Adhesion Between Wool Fibers and a Polyurethane Elastomer (*Fleischfresser*) 350
Cortes, J. R. 90-mm Cotton Fiber Produced (*Rohatgi, Dantas*) 752
Costanza, Peter A. Influences of Fiber Geometry on the Performance of Nonwoven Air Filters. Part III: Cross-Sectional Shape (*Lamb*) 362
Improvement of Filter Media for Cotton Dust Control (*Lamb, Dunbar*) 500
Role of Filter Structure and Electrostatics in Dust-Cake Formation (*Lamb, Turner*) 661
Craven, P. C. Machine-Washable, Water- and Oil-Repellent, Flame-Retardant Wool (*Benisek*) . . 705

Daigle, Donald J. Some Observations on Aldehyde-Sulfurous Acid Treatments in DP Finishing (*Reinhardt*) 689
Danilatos, G. The Microfibril-Matrix Relationships in the Mechanical Properties of Keratin Fibers. Part II: The Mechanical Properties of the Matrix During the Extension of an α-Keratin Fiber (*Feughelman*) 568
Dantas, O. 90-mm Cotton Fiber Produced (*Rohatgi, Cortes*) 752
Das Gupta, P. C. Swelling of Jute: Heterogeneity of Crimp Formation (*Majumder, Samajpati, Ganguly, Sardar*) 575
Datyner, A. Vapor-Phase Dyeing Studies in PET and their Bearing on the Effects of Water, and Carriers on Dye Diffusion (*Pace*) 34
de Boer, J. J. The Wettability of Scoured and Dried Cotton Fabrics 624
The Determination of the Degree of Migration of Easy-Care Chemicals in Cotton Fabrics 648
de Castellar, Ma. D. Filament Feeding in Spinning of Staple-Fiber Yarns Covered with Continuous Filament (*Audivert*) 754
Denby, E. F. The Severity of Impeller Washing Machines 416
Donaldson, Darrell J. Controlled Add-On to Reduce Upholstery Ignition (*Harper*) 205
Duckett, K. E. Determination of Cotton Fiber Transverse Geometry by Optical Attenuation (*Krowicki*) 354
Torsional Fatigue and the Initiation Mechanism of Pilling (*Goswami, Vigo*) 481
Dunbar, Janet B. Improvement of Filter Media for Cotton Dust Control (*Lamb, Costanza*) 500
Durska, Iwona The Torsional Rigidity of Blend Yarns (*Żurek*) 555
Dutta, B. Studies on Fiber Belts in Rotor-Spun Yarns (*Sengupta, Radhakrishnaiah*) 228
Dzubay, T. G. Energy-Dispersive X-Ray Fluorescence Analysis of Dust Collected Using a Vertical Elutriator Cotton Dust Sampler (*Fornes, Gilbert, Hersh*) 297

El-Farhaty, K. A. Production of Polyethylene Fibers and their Optical Properties and Radial Differences in Orientation (*Hamza, Fouda, Badawy*) . 592
El-Kharadly, E. A. Simultaneous Dye and Finish Fixation on a Radiation-Induced N-Methylolacrylamide-Treated Wool/Viscose Blend (*Nasr, Abdel-Fattah*) 249
Ellis, B. C. A Review of Techniques for the Assessment of Hand (*Garnsworthy*) 231

Familant, Harold M. Theory on Heater Cross-Over in the False-Twist Texturing Operation 336
Feughelman, M. The Microfibril-Matrix Relationships in the Mechanical Properties of Keratin Fibers. Part II: The Mechanical Properties of the Matrix During the Extension of an α-Keratin Fiber (*Danilatos*) 568
Finnimore, Elizabeth D. A Rapid Method for Determining the Sorption Characteristics of Textile Materials (*Wortmann*) 659
Fischer, Janet J. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part VII: Microbiological Evaluation 93
Gram-Negative Bacterial Content and Fiber Properties of Raw Cotton (*Morey, Sasser*) . . . 735
Fleischfresser, B. E. Some Factors Affecting the Adhesion Between Wool Fibers and a Polyurethane Elastomer (*Cook*) 350
Fornes, R. E. The Isolation of Cotton Plant Components by High-Performance Liquid Chromatography (*Gilbert, Wang, Lee*) 29
Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part V: Characterization of Dust Samples (*Gilbert*) 84
Energy-Dispersive X-Ray Fluorescence Analysis of Dust Collected Using a Vertical Elutriator Cotton Dust Sampler (*Gilbert, Hersh, Dzubay*) . 297
Humidifiers as a Source of Respirable Dust in Textile Mills (*Batra, Hersh*) 454
The Effect of Cotton Grades, Variety, and Growing Location on the Dust Generated in a Model Card Room (*Hersh, Hobby, Batra*) 531
Characterization of Cotton Dusts Separated by Sonic Sifting (*Gilbert, Hersh*) 617
Foster, R. E. Wool Stabilization by Aqueous Exhaust Systems Based on Reactive Aliphatic Diisocyanates (*Pardo*) 152
Fouda, I. M. Production of Polyethylene Fibers and their Optical Properties and Radial Differences in Orientation (*Hamza, El-Farhaty, Badawy*) . . 592
Frick, J. G., Jr. Glyoxal Treatment of Amidated Cotton (*Harper*) 700
Friedman, Henry L. The Use of Textile Yarns in Separation Processes (*Miller, Meiser*) 10
The Use of Moving Yarn Belts for Continuous Dehumidification (*Miller, Meiser*) 513
Friedman, Mendel Cupric Acetate Treatment for Shrinkage-Resistance of Wool (*Koenig*) 422

Ganguli, K. L. Mass Transfer in a Laboratory Washing Machine (*van Eendenburg*) 428
Ganguly, P. K. Swelling of Jute: Heterogeneity of Crimp Formation (*Majumder, Samajpati, Sardar, Das Gupta*) 575
Garnsworthy, R. K. A Review of Techniques for the Assessment of Hand (*Ellis*) 231
Gilbert, R. D. The Isolation of Cotton Plant Components by High-Performance Liquid Chromatography (*Fornes, Wang, Lee*) 29

Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part V: Characterization of Dust Samples (*Fornes*) . . . 84
Energy-Dispersive X-Ray Fluorescence Analysis of Dust Collected Using a Vertical Elutriator Cotton Dust Sampler (*Fornes, Hersh, Dzubay*) . . . 297
Characterization of Cotton Dusts Separated by Sonic Sifting (*Fornes, Hersh*) . . . 617
Gisler, Markus Dye-Fiber Bond Stabilities of Reactive Dyes Containing Phosphonic Acid Groups (*Zollinger*) . . . 519
Goswami, B. C. Torsional Fatigue and the Initiation Mechanism of Pilling (*Duckett, Vigo*) . . . 481
Graham, C. O., Jr. Cotton-Wrapped Yarns—A Process to Eliminate Sizing and Desizing (*Shepard, Kullman*) . . . 108
Graham, John S. The Relationship of Drafting-Force Variability to Cotton Fiber Properties and Spinning Efficiency (*Taylor*) . . . 271
Gregorski, K. S. Fabric Modification Using the Plasmod. The Effect of Extensive Treatment in Nitrogen and Oxygen Plasmas at Low Pressure (*Pavlath*) . . . 42
Gulrajani, M. L. Aggregation of Disperse Dyes (*Saxena*) . . . 330
Factors Influencing the Critical Dissolution Time of Textile Fibers (*Saxena*) . . . 406
Dye-Induced Changes in the Mechanical and Physical Properties of Dyed Nylon 6 Fibers (*Saxena, Sengupta*) . . . 486
Dye-Induced Structural Changes and Mechanical Properties of Polyethylene Terephthalate Fibers (*Saxena, Sengupta*) . . . 589
Gupta, A. K. Effect of Orientation on Dielectric Properties of Fibers (*Chand, Mansingh*) . . . 328
Gupta, V. B. The Dependence of Stiffness and Strength of *Gossypium hirsutum* Cotton on Crystallite Orientation (*Moharir, Panda, Nagpal, Suri*) . . . 596

Hadjichristidis, N. A simple and Fast Detection Method of Hercosett 57 in Dilute Solutions (*Boussias, Touloupis*) . . . 209
Hall, David M. The Effect of Reversing the Amide Chromaphore on some Dye Properties of the Naphthol AS Series (*Bickel, Murray, Hoesterey*) . 692
Hamkins, Christopher P. On the Mechanisms of Tearing in Woven Fabrics (*Backer*) . . . 323
Hammons, Margerite A. Horizontal Buring Rates of Fabrics with Low Add-Ons of Fire Retardant (*Reeves*) . . . 245
Hamza, A. A. Production of Polyethylene Fibers and their Optical Properties and Radial Differences in Orientation (*Fouda, El-Farhaty, Badawy*) . . 592
A Contribution to the Study of Optical Properties of Fibers with Irregular Transverse Sections . . 731
Harper, R. J., Jr. Formaldehyde Release—Are Current Test Methods Realistic? (*Andrews*) . . . 177
Controlled Add-On to Reduce Upholstery Ignition (*Donaldson*) . . . 205
Variables that Influence Formaldehyde Release from Cotton Finished for Durable Press (*Andrews, Vail*) . . . 315
Glyoxal Treatment of Amidated Cotton (*Frick*) . . 700
Haynes, Patricia L. Furniture Flammability: Fabric Opportunities (*Baitinger*) . . . 201
Hemstreet, James M. Axial Drag Coefficients of Cotton Fibers (*Taylor*) . . . 654
Hersh, S. P. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part III: Carding and Dust Levels (*Johnson, Batra, Myers*) . . . 73
Energy-Dispersive X-Ray Fluorescence Analysis of Dust Collected Using a Vertical Elutriator Cotton Dust Sampler (*Fornes, Gilbert, Dzubay*) . 297
Humidifiers as a Source of Respirable Dust in Textile Mills (*Batra, Fornes*) . . . 454
The Effect of Cotton Grade, Variety, and Growing Location on the Dust Generated in a Model Card Room (*Hobby, Fornes, Batra*) . . . 531
Characterization of Cotton Dusts Separated by Sonic Sifting (*Fornes, Gilbert*) . . . 617
Hindeleh, A. M. X-Ray Characterization of Viscose Rayon and the Significance of Crystallinity on Tensile Properties . . . 581
Crystallinity, Crystallite Size, and Physical Properties of Native Egyptian Cotton . . . 667
Hobby, C. K. The Effect of Cotton Grade, Variety, and Growing Location on the Dust Generated in a Model Card Room (*Hersh, Fornes, Batra*) . 531
Hoesterey, Barbara L. The Effect of Reversing the Amide Chromaphore on some Dye Properties of the Naphthol AS Series (*Hall, Bickel, Murray*) . 692

Ilg, Otto M. The Role of Computers in the Production of Synthetic Fibers . . . 344
Itoh, Motoyoshi Mechanics of Large Deformations of Twisted-Filament Yarns (*Komori, Makishima*) . 548

Jain, P. C. Studies on Acrylonitrile-Hydroxyalkyl-Methacrylate Copolymer Fibers (*Bajaj, Sengupta*) . . . 218
Jellinek, Günter The Noncrystalline State Within PET Fibers—Meaning and Characterization by Mechanical-Relaxation Measurements (*Valk, Schröder*) . . . 46
Johnson, R. H. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part III: Carding and Dust Levels (*Hersh, Batra, Myers*) . . . 73
Jones, Brian W. Preparing and Finishing Durable-Press Cotton Fabrics (*Turner, Luparello*) . . . 165

Kase, Susumu Study on Electrostatic Spinning (*Miura*) . . . 17
Kim, Charles J. Fabric Hand: Tactile Sensory Assessment (*Winakor, Wolins*) . . . 601
Ko, Frank K. Values of the Specific Cross-Sectional Area of Various Materials—An Update (*Pastore*) 752
Koenig, H. Steve Fiber Lubricant Properties and Dynamic Mechanical Properties of Polyoxyalkylene Fluids (*Bryant*) . . . 1
Koenig, H. N. Cupric Acetate Treatment for Shrinkage-Resistance of Wool (*Friedman*) . . . 422
Komori, Takashi Mechanics of Large Deformations of Twisted-Filament Yarns (*Makishima, Itoh*) . 548
Krishna Iyer, K. R. Prediction of Bundle Strength from Single-Fiber Test Data (*Nachane*) . . . 639
Krowicki, R. S. Determination of Cotton Fiber Transverse Geometry by Optical Attenuation (*Duckett*) . . . 354
Kulkarni, V. G. Studies on Some Wool Components: Skin Flakes, Cuticle, and Cell Membrane Material (*Baumann*) . . . 6
Some Physico-Chemical Studies on the Primary and Secondary Fibers of Low-Crimp Merino Wool . 420
Kullman, R. M. H. Cotton-Wrapped Yarns—A Process to Eliminate Sizing and Desizing (*Graham, Shepard*) . . . 108
Kumar, Raj Analysis of Fiber Blends. Part II: Determination of Blend Composition by Moisture Regain (*Srivastava*) . . . 359

Kwok, W. F. An Assessment of Some Thermodynamic Treatments of Wool-Dyeing Systems (*Asquith, Otterburn*) . . . 333

LaFleur, Kermit S. Characteristics of Nylon and Gut Tennis Strings . . . 579

Lamb, George E. R. Influences of Fiber Geometry on the Performance of Nonwoven Air Filters. Part III: Cross-Sectional Shape (*Costanza*) . . . 362

Improvement of Filter Media for Cotton Dust Control (*Dunbar, Costanza*) . . . 500

Role of Filter Structure and Electrostatics in Dust-Cake Formation (*Costanza, Turner*) . . . 661

Lee, K. S. The Isolation of Cotton Plant Components by High-Performance Liquid Chromatography (*Gilbert, Fornes, Wang*) . . . 29

Leibee, J. B. The Function of some Thermofixation Accelerants . . . 270

Lindenmeyer, Paul H. The Fundamental Basis for Fiber Formation and Fiber Structure . . . 395

Lorenz, O. Wool/Polymer Interactions. Part I: The Relationship Between Polymer Properties and their Shrink-Resist Effectiveness (*Bateup, Souren*) . . . 682

Louis, Gain L. No-Twist Cotton Yarn Made from Card Web (*Salaun, Brown*) . . . 115

USDA Natural Fiber Blend Research (*Pardo*) . . . 130

Effects of Cotton Particulate Characteristics on Rotor Residue in Open-End Spinning . . . 641

Lunney, W. H. M. Random Errors of Observation in the Measurement of Fiber Diameter by Projection-Microscope Methods . . . 728

Luparello, Diane O. Preparing and Finishing Durable-Press Cotton Fabrics (*Jones, Turner*) . . . 165

Lupton, Christopher J. Wool Processing on the Cotton System: A Comparison Between Cut-Top Wool and Six-Month Shorn Wool in Blend with Polyester . . . 119

Majumder, A. Swelling of Jute: Heterogeneity of Crimp Formation (*Ganguly, Samajpati, Sardar, Das Gupta*) . . . 575

Makishima, Kunio Mechanics of Large Deformation of Twisted-Filament Yarns (*Komori, Itoh*) . . . 548

Manich, A. M. A Contribution to the Study of the Contraction of Rotor Yarns (*Barella, Vigo*) . . . 279

Mansingh, A. Effect of Orientation on Dielectric Properties of Fibers (*Gupta, Chand*) . . . 328

Martin, Donald H. Improved Sheath/Core Adhesion in Biconstituent Fibers via Interface Mixing (*Southern, Baird*) . . . 411

Martin, J. Ronald Fabric Ignition by Flame Impingement (*Miller, Turner*) . . . 256

The Quantification of Fabric Extinguishability (*Miller, Meiser*) . . . 305

Mathur, J. P. Physical Characteristics of Wools from some Native and Cross-bred Sheep and their Correlation (*Singh, Parthasarathy, Patni*) . . . 268

Relations Between Individual Fiber Parameters and the Stress-Strain Behavior in Indian Wools (*Parthasarathy, Patni*) . . . 269

Mazumder, M. C. A Study of the Input and Output Variability in Jute Breaker Card . . . 341

McKay, Douglas L. False Elevation of Cotton Dust Levels by Atomized Water Solids (*Roberts, Rossano*) . . . 699

McLaren, K. G. The Use of Ionizing Radiation for Fixing Textile Resins on Wool . . . 254

Mehta, P. N. Engineered Wool Industrial Protective Clothing . . . 185

Meiser, Charles H., Jr. The Use of Textile Yarns in Separation Processes (*Miller, Friedman*) . . . 10

The Quantification of Fabric Extinguishability (*Miller, Martin*) . . . 305

The Use of Moving Yarn Belts for Continuous Dehumidification (*Miller, Friedman*) . . . 513

Miller, Bernard The Use of Textile Yarns in Separation Processes (*Friedman, Meiser*) . . . 10

Fabric Ignition by Flame Impingement (*Martin, Turner*) . . . 256

The Quantification of Fabric Extinguishability (*Martin, Meiser*) . . . 305

The Use of Moving Yarn Belts for Continuous Dehumidification (*Friedman, Meiser*) . . . 513

Miura, Yoshito Study on Electrostatic Spinning (*Kase*) 17

Moharir, A. V. The Dependence of Stiffness and Strength of *Gossypium hirsutum* Cotton on Crystallite Orientation (*Panda, Gupta, Nagpal, Suri*) . . . 596

Morey, P. R. Gram-Negative Bacterial Content and Fiber Properties of Raw Cotton (*Fischer, Sasser*) 735

Murray, J. Scot The Effect of Reversing the Amide Chromaphore on some Dye Properties of the Naphthol AS Series (*Hall, Bickel, Hoesterey*) . . 692

Myers, T. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part III: Carding and Dust Levels (*Johnson, Hersh, Batra*) . . . 73

Nachane, R. P. Prediction of Bundle Strength from Single-Fiber Test Data (*Krishna Iyer*) . . . 639

Nagpal, K. C. The Dependence of Stiffness and Strength of *Gossypium hirsutum* Cotton on Crystallite Orientation (*Moharir, Panda, Gupta, Suri*) . . . 596

Nasr, H. I. Simultaneous Dye and Finish Fixation on a Radiation-Induced N-Methylolacrylamide-Treated Wool/Viscose Blend (*Abdel-Fattah, El-Kharadly*) . . . 249

Nelson, Mary L. Closed-Boll Cotton. Part II: Restoration of the Never-Dried State by Treatment with Propylene Oxide (*Rousselle, Barker, Colwick*) . . . 103

Sonic Pulse Velocity in Fabrics: Is it Related to Abrasion Resistance? (*Rousselle*) . . . 211

Closed-Boll Cotton. Part I: Properties of Never-Dried Cotton Fibers Before and After Aqueous Formaldehyde Treatment (*Rousselle, Ramey, Barker*) . . . 491

Norris, K. H. The Prediction of the Yield of Greasy Wool by Near-Infrared Reflectance Spectroscopy. Part I: Principles and Washed Wool (*Connell*) . . . 371

Oka, P. G. The Cross-Sectional Shapes of a Cotton Fiber Along Its Length (*Petkar, Sundaram*) . . . 541

Olsen, Neva F. Filtered and Nonfiltered Cigarette Ignition of Cotton Upholstery Fabrics (*Bollinger*) 310

Otterburn, M. S. An Assessment of some Thermodynamic Treatments of Wool Dyeing Systems (*Asquith, Kwok*) . . . 333

Pace, R. J. Vapor-Phase Dyeing Studies in PET and Their Bearing on the Effects of Water, and Carriers on Dye Diffusion (*Datyner*) . . . 34

Panda, B. C. The Dependence of Stiffness and Strength of *Gossypium hirsutum* Cotton on Crystallite Orientation (*Moharir, Gupta, Nagpal, Suri*) . . . 596

Pandey, S. N. Migration of Crosslinking Reagents in Cotton Fabric During Resin-Finishing Treatments (*Raje*) . . . 525

Pardo, Clay E. USDA Natural Fiber Blend Research (*Louis*) . . . 130
Wool Stabilization by Aqueous Exhaust Systems Based on Reactive Aliphatic Diisocyanates (*Foster*) . . . 152
Parthasarathy, S. Physical Characteristics of Wool from some Native and Crossbred Sheep and their Correlation (*Singh, Mathur, Patni*) . . . 268
Relations Between Individual Fiber Parameters and the Stress-Strain Behavior in Indian Wools (*Patni, Mathur*) . . . 269
Pasad, D. M. Influence of Scouring Operations on the Properties of Control and DMEU-Finished Cotton Drill Fabric (*Varghese*) . . . 718
Pastore, Anthony Values of the Specific Cross-Sectional Area of Various Materials—An Update (*Ko*) . . . 752
Patni, P. C. Physical Characteristics of Wools from some Native and Cross-bred Sheep and their Correlation (*Singh, Parthasarathy, Mathur*) . . 268
Relations Between Individual Fiber Parameters and the Stress-Strain Behavior in Indian Wools (*Parthasarathy, Mathur*) . . . 269
Pavlath, A. E. Fabric Modification Using the Plasmod. The Effect of Extensive Treatment in Nitrogen and Oxygen Plasmas at Low Pressure (*Gregorski*) 42
An ESCA Study of the Surface and Interior Reactive Sites in Wool Fibers (*Tillin, Zeronian, Pittman*) . . . 724
Perkins, H. H., Jr. Implications of Disaccharides in Sticky-Cotton Processing: Honeydew Contamination (*Cheung, Roberts*) . . . 55
Petkar, B. M. The Cross-Sectional Shapes of a Cotton Fiber Along Its Length (*Oka, Sundaram*) . . . 541
Phan-Thien, N. A Constitutive Equation for Fabrics . 543
Pittman, A. G. An ESCA Study of the Surface and Interior Reactive Sites in Wool Fibers (*Tillin, Pavlath, Zeronian*) . . . 724
Poisson, William H. Thermal Shrinkage and Mechanical Crimping During False-Twist Texturing (*Quynn*) . . . 283
Postman, W. Spin Finishes Explained . . . 444

Quynn, Richard G. Thermal Shrinkage and Mechanical Crimping During False-Twist Texturing (*Poisson*) . . . 283

Radhakrishnaiah, P. Studies on Fiber Belts in Rotor-Spun Yarns (*Sengupta, Dutta*) . . . 228
Rajaraman, G. S. Determination of Fineness and Maturity of Cotton by Air-Flow Methods . . . 747
Raje, C. R. Migration of Crosslinking Reagents in Cotton Fabric During Resin-Finishing Treatments (*Pandey*) . . . 525
Ramey, Harmon H., Jr. Closed-Boll Cotton. Part I: Properties of Never-Dried Cotton Fibers Before and After Aqueous Formaldehyde Treatment (*Nelson, Rousselle, Barker*) . . . 491
Reeves, Wilson A. Horizontal Burning Rates of Fabrics with Low Add-Ons of Fire Retardant (*Hammons*) . . . 245
Soiling, Staining, and Yellowing Characteristics of Fabrics Treated with Resin or Formaldehyde (*Summers, Reinhardt*) . . . 711
Reinhardt, Robert M. Ultraviolet Radiation Treatments for Imparting Functional Properties to Cotton Textiles (*Harris*) . . . 139
Wrinkle-Resistant Cotton by Photo-Initiated Reaction with N-Methylolacrylamide Followed by Crosslinking Reactions (*Arthur*) . . . 261
Some Observations on Aldehyde-Sulfurous Acid Treatments in DP Finishing (*Daigle*) . . . 689
Soiling, Staining, and Yellowing Characteristics of Fabrics Treated with Resin or Formaldehyde (*Reeves, Summers*) . . . 711
Reischl, Uwe Assessment of Ventilation Characteristics of Standard and Prototype Firefighter Protective Clothing (*Stransky*) . . . 193
Comparative Assessment of GORETEX™ and NEOPRENE™ Vapor Barriers in a Firefighter Turn-Out Coat (*Stransky*) . . . 643
Rivett, Donald E. The Binding of Polyamines to Wool 440
Roberts, C. W. Implications of Disaccharides in Sticky-Cotton Processing: Honeydew Contamination (*Cheung, Perkins*) . . . 55
Roberts, Eugene C. False Elevation of Cotton Dust Levels by Atomized Water Solids (*Rossano, McKay*) . . . 699
Rohatgi, J. S. 90-mm Cotton Fiber Produced (*Cortes, Dantas*) . . . 752
Ross, Stanley E. Technique for Predicting Dust Release from Cotton Fibers . . . 96
Rossano, Anthony J., Jr. False Elevation of Cotton Dust Levels by Atomized Water Solids (*Roberts, McKay*) . . . 699
Rousselle, Marie-Alice Closed-Boll Cotton. Part II: Restoration of the Never-Dried State by Treatment with Propylene Oxide (*Nelson, Barker, Colwick*) . . . 103
Sonic Pulse Velocity in Fabrics: Is It Related to Abrasion Resistance? (*Nelson*) . . . 211
Closed-Boll Cotton. Part I: Properties of Never-Dried Cotton Fibers Before and After Aqueous Formaldehyde Treatment (*Nelson, Ramey, Barker*) . . . 491
Rowland, Stanley P. Polymerization-Crosslinking of N-Methylolmethacrylamide in Cotton Fabric (*Shih, Bertoniere*) . . . 433

Salaun, H. L., Jr. No-Twist Cotton Yarn Made from Card Web (*Brown, Louis*) . . . 115
Samajpati, S. Swelling of Jute: Heterogeneity of Crimp Formation (*Majumder, Ganguly, Sardar, Das Gupta*) . . . 575
Sardar, D. Swelling of Jute: Heterogeneity of Crimp Formation (*Majumder, Samajpati, Ganguly, Das Gupta*) . . . 575
Sasser, Preston Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part I: Introduction and Cotton Properties . . . 61
Gram-Negative Bacterial Content and Fiber Properties of Raw Cotton (*Fischer, Morey*) . . . 735
Saxena, Rajesh K. Aggregation of Disperse Dyes (*Gulrajani*) . . . 330
Factors Influencing the Critical Dissolution Time of Textile Fibers (*Gulrajani*) . . . 406
Dye-Induced Changes in the Mechanical and Physical Properties of Dyed Nylon 6 Fibers (*Gulrajani, Sengupta*) . . . 486
Dye-Induced Structural Changes and Mechanical Properties of Polyethylene Terephthalate Fibers (*Gulrajani, Sengupta*) . . . 589
Schick, M. J. Friction and Lubrication of Synthetic Fibers. Part VII: Effect of Guide Temperature 675
Schröder, Ulrich The Noncrystalline State Within PET Fibers—Meaning and Characterization by Mechanical-Relaxation Measurements (*Valk, Jellinek*) . . . 46

Sen, K. New Methods of Texturing Polyester/Viscose Blended Yarns by Simultaneous Setting of the Components (*Sengupta, Bajaj*) 275
Texturing of Polyester-Viscose Blended Yarn by Batch and Continuous Processes (*Bajaj, Sengupta*) 610
Sengupta, A. K. Studies on Acrylonitrile-Hydroxyalkyl-Methacrylate Copolymer Fibers (*Bajaj, Jain*) 218
Studies on Fiber Belts in Rotor-Spun Yarns (*Dutta, Radhakrishnaiah*) 228
New Methods of Texturing Polyester/Viscose Blended Yarns by Simultaneous Setting of the Components (*Bajaj, Sen*) 275
Dye-Induced Changes in the Mechanical and Physical Properties of Dyed Nylon 6 Fibers (*Gulrajani, Saxena*) 486
Dye-Induced Structural Changes and Mechanical Properties of Polyethylene Terephthalate Fibers (*Gulrajani, Saxena*) 589
Texturing of Polyester-Viscose Blended Yarn by Batch and Continuous Processes (*Bajaj, Sen*) . . 610
Shepard, C. L. Cotton-Wrapped Yarns—A Process to Eliminate Sizing and Desizing (*Graham, Kullman*) 108
Shih, Frederick F. Polymerization-Crosslinking of N-Methylolmethacrylamide in Cotton Fabric (*Bertoniere, Rowland*) 433
Simpson, Jack The Effects of Cleaning in the Opening Room and at the Card on Rotor Residue for Open-End Machines 507
Singh, V. P. Physical Characteristics of Wools from some Native and Cross-bred Sheep and their Correlation (*Parthasarathy, Mathur, Patni*) . . 268
Singleton, Robert W. Development of Cored Wool/Polyester Blend Yarns and Their Evaluation in Fabrics 457
Souren, I. Wool/Polymer Interactions. Part I: The Relationship Between Polymer Properties and their Shrink-Resist Effectiveness (*Bateup, Lorenz*) 682
Part II: Measurement of Adhesion Between Single Wool Fibers and a Polyurethane Elastomer (*Bateup*) 740
Southern, John H. Improved Sheath/Core Adhesion in Biconstituent Fibers via Interface Mixing (*Martin, Baird*) 411
Srivastava, H. C. Analysis of Fiber Blends. Part II: Determination of Blend Composition by Moisture Regain (*Kumar*) 359
Stransky, Alfred Assessment of Ventilation Characteristics of Standard and Prototype Firefighter Protective Clothing (*Reischl*) 193
Comparative Assessment of GORETEX™ and NEOPRENE™ Vapor Barriers in a Firefighter Turn-Out Coat (*Reischl*) 643
Summers, Teresa A. Soiling, Staining, and Yellowing Characteristics of Fabrics Treated with Resin or Formaldehyde (*Reeves, Reinhardt*) 711
Sundaram, V. The Cross-Sectional Shapes of a Cotton Fiber Along Its Length (*Petkar, Oka*) 541
Suri, D. K. The Dependence of Stiffness and Strength of *Gossypium hirsutum* Cotton on Crystallite Orientation (*Moharir, Panda, Gupta, Nagpal*) . 596
Taylor, Robert A. The Relationship of Drafting-Force Variability to Cotton Fiber Properties and Spinning Efficiency (*Graham*) 271
Axial Drag Coefficients of Cotton Fibers (*Hemstreet*) 654
Tillin, S. J. An ESCA Study of the Surface and Interior Reactive Sites in Wool Fibers (*Pavlath, Zeronian, Pittman*) 724
Toba, Eiji Determination of the Autocorrelation Function of Woven Fabrics Using Laser Speckle . . . 238
Touloupis, C. A Simple and Fast Detection Method of Hercosett 57 in Dilute Solutions (*Boussias, Hadjichristidis*) 209
Troope, Walter S. Improved Ammonia Finishing of Corduroys 162
Turner, James H. Role of Filter Structure and Electrostatics in Dust-Cake Formation (*Lamb, Costanza*) 661
Turner, John D. Preparing and Finishing Durable-Press Cotton Fabrics (*Jones, Luparello*) 165
Turner, Rudolph Fabric Ignition by Flame Impingement (*Miller, Martin*) 256

Vail, Sidney L. Variables that Influence Formaldehyde Release from Cottons Finished for Durable Press (*Andrews, Harper*) 315
Valk, Giselher The Noncrystalline State Within PET Fibers—Meaning and Characterization by Mechanical-Relaxation Measurements (*Jellinek, Schröder*) 46
van Eendenburg, J. Mass Transfer in a Laboratory Washing Machine (*Ganguli*) 428
Varghese, J. Influence of Scouring Operations on the Properties of Control and DMEU-Finished Cotton Drill Fabric (*Pasad*) 718
Vigo, J. P. A Contribution to the Study of the Contraction of Rotor Yarns (*Barella, Manich*) . . . 279
Vigo, T. L. Torsional Fatigue and the Initiation Mechanism of Pilling (*Goswami, Duckett*) . . . 481

Wallenberger, F. T. Dacron®/Orlon® Blends in Apparel—Product Value, Wear Comfort, Energy Savings, and Environmental Aspects 289
Wang, A. The Isolation of Cotton Plant Components by High-Performance Liquid Chromatography (*Gilbert, Fornes, Lee*) 29
Winakor, Geitel Fabric Hand: Tactile Sensory Assessment (*Kim, Wolins*) 601
Winch, Allen R. Evaluation of Cleaning and Washing Processes for Cotton Fiber. Part II: Washing Processes and Equipment 64
Wolins, Leroy Fabric Hand: Tactile Sensory Assessment (*Winakor, Kim*) 601
Wortmann, Franz-J. A Rapid Method for Determining the Sorption Characteristics of Textile Materials (*Finnimore*) 659

Zeronian, S. H. An ESCA Study of the Surface and Interior Reactive Sites in Wool Fibers (*Tillin, Pavlath, Pittman*) 724
Zollinger, Heinrich Dye-Fiber Bond Stabilities of Reactive Dyes Containing Phosphonic Acid Groups (*Gisler*) 519
Żurek, Witold The Torsional Rigidity of Blend Yarns (*Durska*) 555

SUBJECT INDEX

Abrasion Resistance
in fabrics: is it related to sonic pulse velocity? *Rousselle, Nelson* . . . 211
Acrylonitrile
used to make novel porous sheets: also from PVA *Arons* . . . 224
Adhesion
measurement of: in wool/polymer interactions *Bateup, Souren* . . . 740
sheath/core: improved in biconstituent fibers via interface mixing *Southern, Martin, Baird* . . . 411
some factors affecting: between wool fibers and a polyurethane elastomer *Cook, Fleischfresser* . . 350
Ammonia Finishing
of corduroys: improved with controlled resin pretreatment *Troope* . . . 162
Anhydrous Ethanol
obtained using yarn-packed columns in gas chromatography: rayon used *Miller, Friedman, Meiser* . . . 10
Autocorrelation Function
of woven fabrics: determined using laser speckle *Toba* . . . 238
Axial Drag Coefficients
of cotton fibers: *Hemstreet, Taylor* . . . 654

Bacterial Content
of raw cotton: gram-negative bacteria and fiber properties studied *Fischer, Morey, Sasser* . . . 735
Biconstituent Fibers
sheath/core adhesion in: improved via interface mixing *Southern, Martin, Baird* . . . 411
Blend Yarn
polyester-viscose: texturing of by batch and continuous processes *Bajaj, Sengupta, Sen* . . . 610
Blend Yarns
cored wool/polyester: development and evaluation of in fabrics *Singleton* . . . 457
torsional rigidity of: *Žurek, Durska* . . . 555
viscose/polyester: new methods of texturing by simultaneous setting of components. *Sengupta, Bajaj, Sen* . . . 275
Blends
Dacron®/Orlon®: in apparel: product value, wear comfort, energy savings, environmental aspects *Wallenberger* . . . 289
Blends, Natural Fiber
USDA research described: cotton/wool blends produced on cotton system *Louis, Pardo* . . . 130
Bundle Strength
prediction of: from single-fiber test data *Nachane, Krishna Iyer* . . . 639
Burning Fabrics
quantification of extinguishability: *Miller, Martin, Meiser* . . . 305
Burning Rates
of fabrics: with low add-ons of fire retardant *Reeves, Hammons* . . . 245

Carbon Fiber
production of: at low temperatures from polyacrylonitrile *Cagliostro* . . . 632
Carding Rate
for cotton: reduced after washing *Johnson, Hersh, Batra, Myers* . . . 73
Chromatography
high-performance liquid: used to isolate cotton plant components *Gilbert, Fornes, Wang, Lee* 29
gas: columns packed with yarn: used especially for removing water from mixtures *Miller, Friedman, Meiser* . . . 10
Computers
role in production of synthetic fibers: *Ilg* . . . 344
Corduroys
finishing of: controlled resin pretreatment before ammonia *Troope* . . . 162
Coring Techniques
mechanical and thermal: used to create wool/polyester blend staple yarns; fabrics evaluated *Singleton* . . . 457
Cotton
effect of grade, variety, and growing location: on dust generated in model card room *Hersh, Hobby, Fornes, Batra* . . . 531
Gossypium hirsutum: dependence of stiffness and strength on crystalline orientation *Moharir, Panda, Gupta, Nagpal, Suri* . . . 596
ultraviolet radiation treatments of: to impart wrinkle- and flame-resistance *Reinhardt, Harris* 139
Cotton, Amidated
glyoxal treatment of: *Frick, Harper* . . . 700
Cotton, Closed-Boll
properties of never-dried fibers: before and after aqueous formaldehyde treatment *Nelson, Rousselle, Ramey, Barker* . . . 491
restoration of never-dried state: by treating with propylene oxide *Rousselle, Nelson, Barker, Colwick* . . . 103
Cotton Drill Fabric
influence of scouring on: control and DMEU-finished tested *Varghese, Pasad* . . . 718
Cotton Dust
analyzed by: energy-dispersive x-ray fluorescence; dust collected by vertical elutriator dust sampler *Fornes, Gilbert, Hersh* . . . 297
Cotton Dust Control
filter media for: improvement of *Lamb, Dunbar, Costanza* . . . 500
Cotton Dust Levels
false elevation of: by atomized water solids *Roberts, Rossano, McKay* . . . 699
Cotton Dusts
characterization of: separated by sonic sifting *Fornes, Gilbert, Hersh* . . . 617
Cotton Dyeing
in glycol solvents: *Blanchard* . . . 147
Cotton Fabrics
crosslinking reagents in: migration of during resin-finishing treatments *Pandy, Raje* . . . 525
easy-care chemicals in: determination of degree of migration of *de Boer* . . . 648
polymerization crosslinking of: N-methylolmethacrylamide in *Shih, Bertoniere, Rowland* . . . 433
wettability of: scoured and dried *de Boer* . . . 624

Cotton Fiber
cross-sectional shapes of: examined along its length *Petkar, Oka, Sundaram* 541
evaluation of cleaning and washing processes for: Part I: Introduction and cotton properties *Sasser* 61
Part II: Washing processes and equipment *Winch* 64
Part III: Carding and dust levels *Johnson, Hersh, Batra, Myers* 73
Part IV: Spinning and yarn properties *Chewning* 79
Part V: Characterization of dust samples *Fornes, Gilbert* 84
Part VI: Histamine analysis of cotton material *Battigelli* 90
Part VII: Microbiological evaluation *Fischer* . . 93
fineness and maturity: determined by air-flow methods *Rajaraman* 747
90-mm fiber produced: in Brazil *Rohatgi, Cortes, Dantas* 752
properties and spinning efficiency of: relationship of drafting force variability to *Graham, Taylor* 271
Cotton Fibers
axial drag coefficients of: *Hemstreet, Taylor* . . . 654
bundle strength of: predicted from single-fiber test data *Nachane, Krishna Iyer* 639
transverse geometry of: determination by optical attenuation *Krowicki, Duckett* 354
Cotton, Native Egyptian
crystallinity, crystallite size of: other physical properties *Hindeleh* 667
Cotton, Never-Dried
compared with dried and chemically treated: with propylene oxide *Rousselle, Nelson, Barker, Colwick* 103
Cotton Particulates
effects of characteristics on rotor residue: in open-end spinning *Louis* 641
Cotton Plant Components
isolation of: by high-performance liquid chromatography *Gilbert, Fornes, Wang, Lee* 29
Cotton Printcloth
durable-press finishing of: some observations on aldehyde-sulfurous acid treatments *Daigle, Reinhardt* 689
Cotton Properties
changes due to cleaning and washing: *Sasser* . . 61
Cotton, Raw
fiber properties: and gram-negative bacterial content *Fischer, Morey, Sasser* 735
Cotton Upholstery Fabrics
ignition of: by filtered and nonfiltered cigarettes *Olsen, Bollinger* 310
Cotton-Wrapped Yarns
a process to eliminate sizing and desizing: *Graham, Shepard, Kullman* 108
Cotton, Wrinkle-Resistant
by photo-induction: reaction with N-methylol-acrylamide followed by cross-linking *Reinhardt, Arthur* 261
Crimp Formation
heterogeneity of: swelling of jute *Majumder, Samajpati, Ganguly, Sardar, Das Gupta* 575
Critical Dissolution Time
factors influencing: of textile fibers *Gulrajani, Saxena* 406
Crosslinking
with resin or formaldehyde: to impart soil-, stain-, and yellowing-resist finishes on fabrics *Reeves, Summers, Reinhardt* 711
Crosslinking Reagents
migration of: in cotton fabric during resin-finishing treatments *Pandey, Raje* 525
Cross-Sectional Area, Specific
of various materials: values updated *Ko, Pastore* 752
Crystallinity
significance on tensile properties: of viscose rayon. X-ray characterization also described *Hindeleh* 581
and crystallite size: and other physical properties of native Egyptian cotton *Hindeleh* 667
Crystallite Orientation
of *Gossypium hirsutum* cotton: dependence of stiffness and strength on *Moharir, Panda, Gupta, Nagpal, Suri* 596

Dacron®/Orlon® Blends
in apparel: product value, wear comfort, energy savings, and environmental aspects *Wallenberger* 289
Deformation, Large
of twisted-filament yarns: mechanics of *Komori, Makishima, Itoh* 548
Dehumidification
continuous: use of moving yarn belts for *Miller, Friedman, Meiser* 513
Disaccharides
in sticky-cotton processing: implications of due to honeydew contamination *Cheung, Roberts, Perkins* 55
Disperse Dyes
aggregation of: *Gulrajani, Saxena* 330
Drafting-Force Variability
of cotton: relationship of to fiber properties and spinning efficiency *Graham, Taylor* 271
Durable-Press Cotton
preparing and finishing techniques: many variables discussed *Jones, Turner, Luparello* 165
Durable-Press Finish
cottons: variables influencing formaldehyde release from *Andrews, Harper, Vail* 315
Durable-Press Finishes
behavior from formaldehyde-containing agents studied: relevance of tests assessed *Andrews, Harper* 177
Durable-Press Finishing
aldehyde-sulfurous acid treatments in: some observations on *Daigle, Reinhardt* 689
Dust-Cake Formation
relater to filter performance: role of filter structure and electrostatics *Lamb, Costanza, Turner* . . 661
Dust, Cotton
characterization of: following carding of washed samples *Fornes, Gilbert* 84
generated in model card room: effect of cotton grade, variety, and growing location on *Hersh, Hobby, Fornes, Batra* 531
in model card room: reduced by washing cotton *Johnson, Hersh, Batra, Myers* 73
microbiological evaluation of: in model cardroom following washing process *Fischer* 93
Dust Release
from cotton fibers: technique for predicting *Ross* 96
Dust, Respirable
in textile mills: humidifiers as a source of *Batra, Fornes, Hersh* 454
Dye and Finish Fixation
simultaneous: on radiation-induced N-methylol-acrylamide-treated wool/viscose blend *Nasr, Abdel-Fattah, El-Kharadly* 249

Dye Diffusion in PET
promotion of: roles of aromatic carriers and water in *Pace, Datyner* 34
Dye-Fiber Bond Stabilities
of reactive dyes: containing phosphonic acid groups *Gisler, Zollinger* 519
Dyeing
of PET fibers: structural changes and mechanical properties studied *Gulrajani, Saxena, Sengupta* 589
Dye Properties
reversing amide chromaphore: effect of in naphthol AS series *Hall, Bickel, Murray, Hoesterey* . . 692
Dyes in Nylon 6
changes in mechanical and physical properties studied: *Gulrajani, Saxena, Sengupta* 486
Dynamic Mechanical Properties
of polyoxyalkylene fluids: and fiber lubricant properties *Koenig, Bryant* 1

Easy-Care Chemicals
degree of migration of: determined in cotton fabrics *de Boer* 648
Electrostatic Spinning
study on: many apparatus modifications described *Miura, Kase* 17
ESCA Study
of wool fibers: surface and interior reactive sites *Tillin, Pavlath, Zeronian, Pittman* 724

Fabric Extinguishability
quantification of: *Miller, Martin, Meiser* 305
Fabric Hand
tactile sensory assessment: *Winakor, Kim, Wolins* 601
Fabric Ignition
by flame-impingement: apparatus built to quantify *Miller, Martin, Turner* 256
Fabric-Like Polymeric Structures
prepared from acrylonitrile: and from PVA *Arons* 224
Fabric Modification, Woolen
using the Plasmod: effect of extensive treatment in N and O plasmas at low pressure *Gregorski, Pavlath* 42
Fabrics
a constitutive equation for: *Phan-Thien* 543
False-Twist Texturing
results during: thermal shrinkage and mechanical crimping *Quynn, Poisson* 283
theory on heater cross-over in operation: *Familant* 336
Felting Shrinkage
of fabrics: severity of impeller washing machines discussed *Denby* 416
Fiber Belts
studies on: in rotor-spun yarns *Sengupta, Dutta, Radhakrishnaiah* 228
Fiber Blends
analysis of: determination of blend composition by moisture regain *Kumar, Srivastava* 359
Fiber Formation and Structure
the fundamental basis for: *Lindenmeyer* 395
Fiber Geometry
influences of on nonwoven air-filter performance: Part III: cross-sectional shape *Lamb Costanza* 362
Fiber Lubricant Properties
of polyoxyalkylene fluids: and dynamic mechanical properties *Koenig, Bryant* 1
Fibers
dielectric properties of: effect of orientation on *Gupta, Chand, Mansingh* 328
with irregular transverse sections: study of optical properties of *Hamza* 731
Fibers, Textile
critical dissolution time of: factors influencing *Gulrajani, Saxena* 406
Fibers, Wool
primary and secondary Merino: physico-chemical studies on *Kulkarni* 420
Filter Media
for cotton dust control: improvement of *Lamb, Dunbar, Costanza* 500
Filtration
of dust: role of filter structure and electrostatics in dust-cake formation *Lamb, Costanza, Turner* 661
Fineness and Maturity
of cotton: determined by air-flow methods *Rajaraman* 747
Finishes, Spin
explained: *Postman* 444
Finishing, Multipurpose
of wool: to impart machine-washability, water- and oil-repellency, and flame-retardancy *Benisek, Craven* 705
Firefighter Protective Clothing
standard and prototype gear assessed: for ventilation characteristics *Reischl, Stransky* 193
vapor barriers in: comparative assessment of GORTEX AND NEOPRENE *Reischl, Stransky* 643
Fire-Retardant
fabrics with low add-ons of: horizontal burning rates of *Reeves, Hammons* 245
Flame Impingement
to test fabric ignition: apparatus built to quantify *Miller, Martin, Turner* 256
Flammability
of furniture fabrics: cigarette ignition studied *Baitinger, Haynes* 201
Formaldehyde, Aqueous
treatment of closed-boll, never-dried cotton with: properties studied before and after treatment *Nelson, Rousselle, Ramey, Barker* 491
Formaldehyde Release
are current test methods realistic? *Andrews, Harper* 177
variables that influence: from cottons finished for durable press *Andrews, Harper, Vail* 315
Friction and Lubrication
of synthetic fibers: effect of guide temperature *Schick* 675
Furniture Flammability
fabric opportunities: cotton fabrics examined for cigarette-ignition capacity *Baitinger, Haynes* 201

Geometry, Transverse
of cotton fibers: determination of by optical attenuation *Krowicki, Duckett* 354
Glycol Solvents
for dyeing cotton fabrics: also cotton blends tested *Blanchard* 147
Glyoxal
treatment: of amidated cotton *Frick, Harper* . . 700

Hand
assessment of: review of techniques for *Ellis, Garnsworthy* 231
Heat Dissipation
in firefighters' clothing: GORETEX and NEOPRENE assessed for vapor barriers *Reischl, Stransky* 643
Heater Cross-Over
theory on: in false-twist texturing operation *Familant* 336

Hercosett 57
in dilute solutions: a simple and fast detection method of *Boussias, Touloupis, Hadjichristidis* 209
Histamine Analysis
of cotton: washed and unwashed carded samples assayed *Battigelli* 90
Humidifiers
as dust source: in textile mills *Batra, Fornes, Hersh* 454

Ignition
of cotton upholstery fabrics: by filtered and non-filtered cigarettes *Olsen, Bollinger* 310
Industrial Protective Clothing
wool and wool blends: hazards and guidelines for engineering fabric and garment assemblies *Mehta* 185
Ionizing Radiation
use of: for fixing textile resins on wool *McLaren* 254

Jute
swelling of: heterogeneity of crimp formation *Majumder, Samajpati, Ganguly, Sardar, Das Gupta* 575
Jute Breaker Card
input and output variability in: a study of *Mazumder* 341

Keratin Fibers
mechanical properties of: microfibril-matrix relationships in *Danilatos, Feughelman* 568

Laser Speckle
used to determine autocorrelation function: of woven fabrics *Toba* 238

Mass Transfer
in a laboratory washing machine: *Ganguli, van Eendenburg* 428
Measurement
random errors of observation in: of fiber diameter by projection-microscope methods *Lunney* . . 728
Mechanical Crimping
and thermal shrinkage: during false-twist texturing *Quynn, Poisson* 283
Mechanical-Relaxation Measurements
meaning and characterization by: of noncrystalline state within PET fibers *Valk, Jellinek, Schröder* 46
Merino Wool
low-crimp: physico-chemical studies on primary and secondary fibers *Kulkarni* 420
Merino Wool Top
water-sorption properties of: rapid method for determining *Finnimore, Wortmann* 659
Microfibril-Matrix Relationships
in mechanical properties of keratin fibers: *Danilatos, Feughelman* 568
Microscope Methods
fiber-diameter measurement: random errors of observation in *Lunney* 728
Migration
degree of: determined for easy-care chemicals in cotton fabrics *de Boer* 648
Moisture Regain
used to determine fiber blend composition: non-destructive method *Kumar, Srivastava* 359

Naphthol AS Series
dye properties of: effect of reversing amide chromaphore on *Hall, Bickel, Murray, Hoesterey* . . . 692
Nonwoven Air Filters
performance of: influences of fiber geometry on. Part III: Cross-sectional shape *Lamb, Costanza* 362
No-Twist Cotton Yarn
made from card web: process and properties described *Salaun, Brown, Louis* 115
Nylon
vs. **gut:** in tennis strings *LaFleur* 579
Nylon 6 Fibers
dye-induced changes: in mechanical and physical properties *Gulrajani, Saxena, Sengupta* . . . 486

Optical Properties
and production of polyethylene fibers: also radial differences in orientation *Hamza, Fouda, El-Farhaty, Badawy* 592
of fibers: with irregular transverse sections *Hamza* 731
Orientation
effect of: on dielectric properties of fibers *Gupta, Chand, Mansingh* 328

PET Fibers
dye-induced structural changes in: and mechanical properties *Gulrajani, Saxena, Sengupta* . . . 589
noncrystalline state within: meaning and characterization by mechanical-relaxation measurements *Valk, Jellinek, Schröder* 46
Phosphonic Acid Groups
as reactive links: dye-fiber bond stabilities *Gisler, Zollinger* 519
Pilling
initiation mechanism of: and torsional fatigue *Goswami, Duckett, Vigo* 481
Plasma Treatment
oxygen and nitrogen compared: for controlling wool fabric shrinkage *Gregorski, Pavlath* 42
Polyacrylonitrile
used to produce carbon fiber: at low temperatures *Cagliostro* 632
Polyacrylonitrile Fibers
structure and properties of: influence of 2-hydroxyethyl- and 2-hydroxypropylmethacrylate comonomers on *Bajaj, Sengupta, Jain* 218
Polyamines
the binding of: to wool *Rivett* 440
Polyethylene Fibers
production of: and optical properties and radial differences in orientation *Hamza, Fouda, El-Farhaty, Badawy* 592
Polymerization-Crosslinking
of N-methylolmethacrylamide: in cotton fabric *Shih, Bertoniere, Rowland* 433
Polyoxyalkylene Fluids
fiber lubricant properties: and dynamic mechanical properties of *Koenig, Bryant* 1
Polyurethane Elastomer
adhering to wool fibers: some factors affecting *Cook, Fleischfresser* 350
Polyvinyl Alcohol
used to make novel porous sheets: also from acrylonitrile *Arons* 224
Preparation and Finishing Techniques
for improved DP cotton fabrics: many variables discussed *Jones, Turner, Luparello* 165

Radiation-Chemical Modification
of wool/viscose blend: simultaneous dye and finish fixation *Nasr, Abdel-Fattah, El-Kharadly* . . . 249
Rotor-Spun Yarns
fiber belts in: Studies on *Sengupta, Dutta, Radhakrishnaiah* 228
Rotor Trash
from open-end machines: effects of cleaning in opening room and at the card *Simpson* . . . 507
Rotor Yarns
contraction of: contribution of study of *Barella, Vigo, Manich* 279

Scouring
influence of operations on fabric properties: control and DMEU-finished cotton drill *Varghese, Pasad* 718
Sensory Assessment, Tactile
of fabric hand: *Winakor, Kim, Wolins* 601
Sheath/Core Adhesion
in biconstituent fibers: improved via interface mixing *Southern, Martin, Baird* 441
Shrinkage-Resistance
of wool: cupric acetate treatment for *Koenig, Friedman* 422
Shrink-Resist Effectiveness
related to polymer properties: in wool polymer interactions *Bateup, Lorenz, Souren* 682
Shrink-Resist Treatments
of wool: aqueous exhaust systems based on reactive aliphatic diisocyanates *Pardo, Foster* 152
Sizing and Desizing of Cotton
cotton-wrapped yarns: process eliminates sizing and desizing *Graham, Shepard, Kullman* . . . 108
Smolder Resistance
in cotton upholstery fabrics: imparted with controlled add-on *Donaldson, Harper* 205
Soiling and Staining
characteristics of fabrics: treated with resin or formaldehyde *Reeves, Summers, Reinhardt* . . 711
Sonic Pulse Velocity
in fabrics: is it related to abrasion resistance? *Rousselle, Nelson* 211
Sonic Sifting
to separate cotton dusts: dusts are characterized *Fornes, Gilbert, Hersh* 617
Sorption Characteristics
of textile materials: rapid method for determining *Finnimore, Wortmann* 659
Spectroscopy
near-infrared reflectance: used to predict greasy wool yield *Connell, Norris* 371
Spin Finishes
explained: *Postman* 444
Spinning
cotton yarn: following washing: process and yarn properties described *Chewning* 79
filament feeding in: of staple-fiber yarns covered with continuous filament *Audivert, de Castellar* 754
rotor residue for open-end machines: effects of cleaning in opening room and at the card on *Simpson* 507
Spinning Contraction
of rotor yarns: contribution to the study of *Barella, Vigo, Manich* 279
Spinning Efficiency
cotton: relationship of drafting-force variability to fiber properties and *Graham, Taylor* 271
Spinning, Electrostatic
study on: many apparatus modifications described *Miura, Kase* 17
Spinning, Open-End
rotor residue in: effects of cotton particulate characteristics on *Louis* 641
Spinning Variables
effects of on: properties of acrylonitrile-hydroxyalkylmethacrylate copolymer fibers *Bajaj, Sengupta, Jain* 218
Sticky-Cotton Processing
implications of disaccharides in: honeydew contamination *Cheung, Roberts, Perkins* 55
Synthetic Fibers
friction and lubrication of: effect of guide temperature *Schick* 675
production of: the role of computers in *Ilg* . . . 344

Tearing Mechanisms
in woven fabrics: *Hamkins, Backer* 323
Texturing
of polyester-viscose blended yarn: by batch-continuous processes *Bajaj, Sengupta, Sen* 610
polyester/viscose blended yarns: by simultaneous setting of components *Sengupta, Bajaj, Sen* . . 275
Thermal Shrinkage
and mechanical crimping: during false-twist texturing *Quynn, Poisson* 283
Thermodynamic Treatments
of wool-dyeing systems: an assessment of some *Asquith, Kwok, Otterburn* 333
Thermodynamics, Nonequilibrium
used to describe fiber formation and structure: *Lindenmeyer* 395
Thermofixation Accelerants
the function of some: *Leibee* 270
Torsional Fatigue
and the initiation mechanism of pilling: *Goswami, Duckett, Vigo* 481
Torsional Rigidity
of blend yarns: *Żurek, Durska* 555

Ultraviolet Radiation
to impart functional properties to cotton: resistance to wrinkles and flames *Reinhardt, Harris* . . . 139
Upholstery Fabrics
smolder-resistance in: add-ons described *Donaldson, Harper* 205
USDA Research
in natural fiber blends: cotton/wool processing investigated *Louis, Pardo* 130

Vapor-Phase Dyeing Studies
in PET: and their bearing on effects of water, and carriers on dye diffusion *Pace, Datyner* 34
Ventilation Characteristics
of firefighters protective clothing: assessed with standard turnout gear *Reischl, Stransky* . . . 193
Viscose Rayon
x-ray characterization of: and significance of crystallinity on tensile properties *Hindeleh* 581

Washing Machine
laboratory: mass transfer in *Ganguli, van Eendenburg* 428
Washing Machines
impeller: the severity of *Denby* 416
Wet-Process Equipment
for cleaning and washing cotton fiber: equipment and processes described *Winch* 64

Wettability
of cotton fabrics: scoured and dried *de Boer* . . . 624
Wool
finishing of: to impart machine-washable, water- and oil-repellent, and flame-retardant fabric *Benisek, Craven* 705
fixing textile resins on: use of ionizing radiation for *McLaren* 254
shrink-resist treatment of: using cupric acetate *Koenig, Friedman* 422
the binding of polyamines to: *Rivett* 440
Wool clothing
engineered industrial protection: hazards and quidelines presented *Mehta* 185
Wool Components
studies on some: skin flakes, cuticle, cell-membrane material *Kulkarni, Baumann* 6
Wool-Dyeing Systems
some thermodynamic treatments of: an assessment of: *Asquith, Kwok, Otterburn* 333
Woolen Fabrics
shrinkage resistance of: effects of O and N plasmas on; and other properties *Gregorski, Pavlath* . 42
Wool Fibers
adhesion of: to polyurethane elastomers: some factors affecting *Cook, Fleischfresser* 350
ESCA study of: surface and interior reactive sites *Tillin, Pavlath, Zeronian, Pittman* 724
Wool, Greasy
prediction of yield: by near-ir reflectance spectroscopy. Part I: Principles and washed wool *Connell, Norris* 371
Wool/Polyester Blends
processed on short-staple system: woven fabrics appraised (using cut-top and short-shorn wools) *Lupton* 119
Wool/Polymer Interactions
adhesion measurement: between single wool fibers and a polyurethane elastomer *Bateup, Souren* 740
polymer properties: related to shrink-resist effectiveness *Bateup, Lorenz, Souren* 682
Wool Processing
on the cotton system: comparison between cut-top and six-month shorn wool in blend with polyester *Lupton* 119
Wools
physical characteristics of: from native and cross-bred sheep; and their correlation *Singh, Parthasarathy, Mathur, Patni* 268
Wools, Indian
stress-strain behavior of: relations between individual fiber parameters and *Parthasarathy, Patni, Mathur* 269
Wool Stabilization
by aqueous exhaust systems: based on reactive aliphatic diisocyanates *Pardo, Foster* 152
Wool/Viscose Blend
radiation-induced N-methylolacrylamide-treated: simultaneous dye and finish fixation on *Nasr, Abdel-Fattah, El-Kharadly* 249
Woven Fabrics
determining autocorrelation function of: using laser speckle *Toba* 238
mechanisms of tearing in: *Hamkins, Backer* . . . 323
Wrinkle-Resistance
in cotton: by photo-initiated reaction with N-methylolacrylamide followed by crosslinking *Reinhardt, Arthur* 261

X-Ray Characterization
of viscose rayon: and significance of crystallinity on tensile properties *Hindeleh* 581
X-Ray Fluorescence Analysis
energy-dispersive: used for dust collected using a vertical elutriator cotton dust sampler *Fornes, Gilbert, Hersh* 297

Yarn-Formation, Cotton
system described: for no-twist yarn made from card web *Salaun, Brown, Louis* 115
Yarns
twisted-filament: mechanics of large deformation of *Komori, Makishima, Itoh* 548
Yarns, Cellulosic
on moving belts: used for continuous dehumidification *Miller, Friedman, Meiser* 513
Yarns, Rayon
used to pack gas-chromatograph columns: for removing water from ethanol *Miller, Friedman, Meiser* 10